

BENESHEVICH, I.I. (continued) Card 3.

nauk, redaktor; MARKOV, M.V., inzhener, redaktor; KALININ, V.K.,
inzhener, redaktor; STEPANOV, V.H., professor, redaktor; SIDOROV, N.I.,
inzhener, redaktor; GERONIMUS, B.Ye., kandidat tekhnicheskikh nauk,
redaktor; ROBEL', R.I., otvetstvennyy redaktor

[Technical reference manual for railroad engineers] Tekhnicheskii
spravochnik zheleznodorozhnika. Moskva, Gos. transp.zhel-dor. izd-vo.
Vol.10. [Electric power supply for railroads] Energosnabzhenie zhelez-
nykh dorog. Otv.red. toma K.G.Markvardt. 1956. 1080 p. Vol.13.
[Operation of railroads] Eksploataatsiya zheleznykh dorog. Otv. red.
toma R.I.Robel'. 1956. 739 p. (MLRA 10:2)

1. Chlen-korrespondent Akademii nauk SSSR (for Petrov)
(Electric railroads) (Railroads-Management)

TIKHONOV, Konstantin Kuz'mich; SEMENYAKO, A.F., retsenzent; USHAKOV, S.S., retsenzent; PESKOVA, L.N., red.; BOBROVA, Ye.N., tekhn. red.

[Technical and economic calculations in the operation of railroads] Tekhniko-ekonomicheskie raschety v ekspluatatsii zheleznnykh dorog. Moskva, Transzheldorizdat, 1962. 251 p.

(MIRA 15:12)

(Railroads--Management) (Railroads--Cost of operation)

TIKHONOV, K.K., kand.tekhn.nauk, dotsent

Optimum weight norms for transfer trains at junction stations.
Trudy MIIT no.137:55-95 '61. (MIRA 15:1)
(Railroads--Trains)
(Railroads--Management)

TIKHONOV, K.K., kand.tekhn.nauk, dotsent

Selecting the optimum variant of the plan for making up trains.
Zhel.dor.transp. 47 no.10:24-27 0 '65.

(MIRA 18:10)

MAKAROVICH, Andrey Mikhaylovich; SVIRIDOV, Viktor Mikhaylovich;
TIKHONOV, Konstantin Kuz'mich; ZABELLO, M.L., kand.tekhn.
nauk, red.; KHITROVA, N.A., tekhn.red.

[Resources for improving the operations of railroad divisions]
Rezervy uluchsheniia ekspluatatsii nnoi raboty otdeleniia
dorogi. Moskva, Vses.izdatel'sko-poligr.ob"edinenie M-va putei
soobshcheniia, 1960. 63 p. (MIRA 13:6)
(Railroads--Management)

718140552.0
TIKHONOV, K.K., dots., kand. tekhn. nauk.

Organizing the use of "pusher" locomotives on the section. Trudy
MIIT no.86:74-132 '57. (MIRA 11:1)

(Locomotives)

Tikhonov, K.K.

TIKHONOV, K.K. dots., kand. tekhn. nauk.

Increasing the traffic and transport capacity of single-track lines
lines by using "pusher" trains. Trudy MIIT no.86:133-166 '57.
(Railroads--Management) (MIRA 11:1)

SHUKHMAN, Aba Semenovich; TIKHOMOV, K.K., kandidat tekhnicheskikh nauk,
redaktor; BOBROVA, Ye.N., tekhnicheskii redaktor

[Organization of dense freight traffic; experience of the Ufa
division of the Ufa railroad line] Organizatsiia dvizheniia na
gruzonapriazhennykh liniakh; iz opyta Ufimskogo otdeleniia
Ufimskoi dorogi. Moskva, Gos.transp.zhel-dor.izd-vo, 1957.
60 p. (MLRA 10:9)

(Railroads--Traffic)

F.P. Kocheneva
KOCHENEV, Fedor Petrovich, prof., doktor tekhn. nauk; MAKSIMOVICH, Boris
Mikhaylovich; POMERANTSEV, Vladimir Vladimirovich; TIKHONOV,
Konstantin Kuz'mich; CHERNOMORDIK, Georgiy Il'ich; DIUGACH, B.A.,
kand. tekhn. nauk, red.; PRIGOROVSKIY, B.F., inzh., red.;
KHITROV, P.A., tekhn. red.

[Traffic management in railroad transportation] Organizatsiia
dvizheniia na zheleznodorozhnom transporte. Pod obshchei red.
F.P. Kocheneva. Moskva, Gos. transp. zhel-dor. izd-vo, 1958.
491 p. (MIRA 11:10)

(Railroads--Traffic)

AKSENOV, I.Ya., kand.tekhn.nauk; MOKSHIN, L.S.; SHESTAKOV, A.I.;
TIKHONOV, K.K., kand.tekhn.nauk

Train traffic organization on lines with lengthened hauls. Zhel.
dor. transp. 43 no. 1:21-28 Ja '61. (MIRA 14:4)

1. Nachal'nik sluzhby dvizheniya Kuybyshevskoy dorogi (for Mokshin).
2. Glavnyy inzhener Omskoy dorogi (for Shestakov).
(Railroads—Traffic)

TIKHONOV, K. K.

Rapid railroad station service izd. 2., perer. Moskva, Gos. transp. zhel-dor.
izd-vo, 1946. 182 p. (50-10622)

TF652.T5 1946

TIKHONOV, K. K.

Rapid railroad station service Moskva, Gos. transp. zhel-dor. izd-vo. 1941. 94 p.
(50-42499)

TF652.T5

TIKHONOV, K. K.

The direction of train traffic on one and two way track sections Moskva, Gos. transp.
zhel.-dor. izd-vo, 1946. 55 p. (50-40640)

TF85.T5

TIMONOV, K. K.

Assembling trains in winter Moskva, Transzheldorizdat. 1945. 19 p.

Сп. 4 ТБЗ

TIKHONOV, K. K.

Opyt formirovaniia poezdov zimoi. Experience in making up trains under winter conditions/. Moskva, Gos. transp. zhel-dor. izd-vo, 1945. 190 p. (Rabota zheleznnykh dorog zimoi).

Organizatsiia dvizheniia poezdov na odno-dukh-putnykh uchastkakh. Organization of train movement on single- and double-track sections/. Moskva, Gos. transp. zhel-dor. izd-vo, 1946. 55 p. diagrs.

Bibliography: p. 3 of cover.

DLC: TF85.T5

SO: Soviet Transportation and Communications, A Bibliography, Library of Congress, Reference Department, Washington, 1952, Unclassified.

TIKHONOV, K. K.

Skorostnaia obrabotka poezdov. [Methods for speeding up the processing of trains].
Izd. 2., p erer. Moskva, Gos. transp. zhel-dor. izd-vo, 1946. 182 p. diagrs.
DLC: HE1.M6

SO: Soviet Transportation and Communications, A Bibliography, Library of Congress
Reference Department, Washington, 1952, Unclassified.

TIKHCNCV, K. K.

Efficient servicing of trains. Izd 2, Moskva, Gos. transp. zhel-dor izd-vo, 1946

Monthly List of Russian Accessions, Library of Congress, June 1952. UNCLASSIFIED

TIKHONOV, K.S. (Simferopol')

Blood proteins in gastric and duodenal ulcer before and following stomach resection. Vrach.delo no.4:415-417 Ap '60.

(MIRA 13:6)

1. Kafedra gospi'tal'noy khirurgii (zav. - prof. K.S. Keropian)
pediatricheskogo fakul'teta Krymskogo meditsinskogo instituta.
(BLOOD PROTEINS) (PEPTIC ULCER) (STOMACH--SURGERY)

TIKHONOV, K.S., aspirant (Simferopol', ul. Kuybysheva, d. 30, kv. 1)

Lipid function of the liver in a case of stomach and duodenal
ulcers. Klin. khir. no. 5:82 My '62. (MIRA 16:4)

1. Kafedra gosspital'noy khirurgii (zav. - prof. K.S. Keropian)
pediatricheskogo fakul'teta Krymskogo meditsinskogo instituta.
(ALIMENTARY CANAL ULCERS) (CHOLESTEROL METABOLISM)

25

CA

Yellow sulfur dye. N. A. Zaitsev and K. S. Tikhonov.
 Russ. 30,895, Nov. 30, 1934. A yellow S dye is prepd
 from condensation products of PhOH and $(C_6H_5)_3N_2$ by
 fusion with S and addn. of benzidine at 180-230°.

ASAC-SEA METALLURGICAL LITERATURE CLASSIFICATION

TIKHOMOV, K.V., kandidat meditsinskikh nauk

Translumbar aortography under experimental conditons. Vest.rent.
i rad. 31 no.2:29-31 Mr-Apr '56. (MLRA 9:8)
(ANGIOGRAPHY,
aortography, translumbar, in animals (Rus))

TIKHONOV, K. Ya.

Ratsionalizatsiya i izobretatel'stvo na zavode [Innovation and Invention
in Factories by] P. V. Kozlov (and) K. Ya. Tikhonov. Moskva, Mashgiz, 1953.

86 p. ports., diags.

N/5
662
.K82

TIKHONOV, L.A.

Attachment for grinding ends according to the machined hole.
Stan.i instr. 33 no.7:39 J1 '62, (MIRA 15:7)
(Grinding machines--Attachments)

TIKHONOV, L.A.

The 5255A-type semiautomatic gear-cutting machine. Biul.tekh.-ekon.
inform. no.7:26-28 '58. (MIRA 11:9)
(Gear-cutting machines)

LAPINSKIY, Ye.I., inzh.; TIKHONOV, L.P., inzh.

DET-250 Diesel-electric tractor. Mekh. stroi. 18 no.5:7-11
My '61. (MIRA 14:7)

1. Chelyubinskiy traktornyy zavod.
(Tractors)

1. MAKEYEV, M.I., ENG.; TIKHONOV, L.P., ENG.

2. USSR (600)

4. Windlass

7. New, powerful winches for tractors. Mekh.stroi. 9 no.9, 1952.

9. Monthly List of Russian Accessions, Library of Congress, January 1953. Unclassified.

1. TIKHONOV L.S.
2. USSR (600)
4. Shcherbina, P.S.
7. Textbook with serious errors ("Bee culture." P.S. Shcherbina. Reviewed by L.S. Tikhonov). Pchelovodstvo 30, no.1, 1953.

9. Monthly List of Russian Accessions, Library of Congress, April 1953, uncl.

KULIKOV, N.S.; CHEREPOV, V.T.; KHOMUTOVA, T.M.; VECHERKINA, L.G.; TIKHONOV, L.S.

Paratyphoid fever in bees. Veterinariia 41 no.8:43-44 Ag '64.
(MIRA 1844)

Tikhonov, L. V.

USSR/Physics

Card 1/1 Pub. 22 - 21/59

Authors : Kritskaya, V. K.; Kurdyumov, G. V., Academician; and Tikhonov, L. V.

Title : Effect of machining on the coupling forces in the crystals of an
 solid solution of iron-nickel alloy

Periodical : Dok. AN SSSR 102/2, 271-274, May 11, 1955

Abstract : Studies are described of the harding and tempering effect on the coupling
 forces of the plastic deformation of iron-nickel alloys of the following
 compound: 4% Ni; 0.015% C; 0.04% Si, and 0.001% P. Intensities of the
 Spectral lines were studies. Fourteen USSR references (1951-1955).
 Diagram; table.

Institution : Central Scientific Research Institute of Ferrous Metals, Institute of
 Metallography and Physics of Metals

Submitted : February 23, 1955

SOV/126... 7-5-20/25

AUTHORS: Lysak, L. I. and Tikhonov, L. V.

TITLE: Change in Fine Crystalline Structure of Niobium on Hardening by Plastic Deformation (Izmeneniye tonkoy kristallicheskoy struktury niobiya pri uprochnenii plasticheskimi deformirovaniyem)

PERIODICAL: Fizika metallov i metallovedeniye, Vol 7, Nr 5, pp 757-765 (USSR)

ABSTRACT: This paper is concerned with a study of the changes in secondary and tertiary distortions of the crystal lattice, the size of coherent regions, the texture and similar properties of niobium after hardening to various degrees by cold plastic deformation. Pure niobium (99.997%) was used in this work. Hardening was carried out at room temperature by plastic deformation using three methods:

1. Static uniaxial compression in a 300 ton press;
2. Uniaxial compression under conditions of vibrational loading at a vibration frequency of the hammer of 37 per second and an amplitude of up to 1 mm;
3. Drawing through a die with different orifices, and

Card
1/4

SOV/126- ---7-5-20/25

Change in Fine Crystalline Structure of Niobium on Hardening by
Plastic Deformation

4. Extension in the direction of the axis of the plate-like specimen.
For the deformation by the first two methods square niobium rods, 16 x 16 mm, were rolled into round rods of 10 mm diameter, from which cylindrical specimens of 7 mm diameter and 12 mm length were made. A batch of specimens was annealed in vacuum (approximately 10^{-5} mm Hg) at 1200°C for one hour. After annealing the hardness of the specimens was found to be 119 kg/mm². The degree of deformation of specimens having been compressed uniaxially was determined from the difference between the cylinders before and after deformation. The "true" stress used in compression was estimated according to formulae suggested by Shaposhnikov (Ref.11). The hardness of deformed specimens was measured on a Vickers hardness testing machine, using a load of 15 kg. The secondary distortions of the crystal lattice and the size of the regions of coherent scatter were determined by an X-ray method according to the diffuseness of the interference lines (110) and (330) obtained in the K_{α} - irradiation of a copper anode. X-ray pictures were taken in a Debye chamber, the drum of which had a diameter of 143 mm. In

Card
2/4

SOV/126--7-5-20/25

Change in Fine Crystalline Structure of Niobium on Hardening by Plastic Deformation

Fig.1 the results of the study of hardening processes is shown. In Fig.2 the secondary distortions, $\Delta a/a$, are plotted against the true compressional stress S . In Fig.3 the results of the investigation of specimens having undergone small deformations (0-5%) by pulling are shown. It is concluded that in the hardening of niobium the following structural factors play a decisive role:

1. Fragmentation of blocks and grains.
2. Disorientation of blocks and grains.
3. The degree of texture if the hardness is measured in the direction of the deformation force.
4. The increase of any type of local lattice distortions, and
5. The uniformity of distribution of the distorted lattice throughout the metal.

There are 3 figures, 1 table and 23 references, of which 4 are Swiss, 5 English and 14 Soviet.

Card
3/4

SOV/126-- -7-5-20/25

Change in Fine Crystalline Structure of Niobium on Hardening by
Plastic Deformation

ASSOCIATION: Institut metallofiziki, AN USSR (Institute of Metal
Physics, Ac. Sc., Ukr.SSR)

SUBMITTED: February 20, 1958

Card 4/4

Cand
TIKHONOV, L. V.: Master Phys-Math Sci (diss) -- "Crystal-structural changes
in the strengthening and weakening of columbium". Kiev, 1958. 10 pp (Acad Sci
Ukr SSR, Inst of the Physics of Metals) 150 copies (KL, No 5, 1959, 143)

24(2)

SOV/20-122-3-18/57

AUTHOR: Tikhonov, L. V.

TITLE: On the Problem of the Investigation of the Fine Crystal Structure on the Basis of the Intensities of the Diffraction Lines
(K voprosu ob izuchenii tonkoy kristallicheskoy struktury po intensivnostyam diffraktsionnykh liniy) Pure Metals
(Chistyye metally)

PERIODICAL: Doklady Akademii nauk SSSR, 1958, Vol 122, Nr 3, pp 389-392
(USSR)

ABSTRACT: This paper calculates the integral intensity of a diffraction line for the reflection of an X-ray beam impinging under any angle on an opaque plane sample. An X-ray beam of the average intensity I and of the cross section area A is assumed to be impinging under any angle α on a plane sample of an ideal polycrystalline preparation. The author investigates a thin crystalline layer of the thickness dx which is parallel to the plane of the cut in the depth x . A formula is given for its contribution to the integral intensity of the diffraction. The model of Vil'khinskiy (Ref 1) is used for the deduction of the formula for the intensity of the diffracted radiation

Card 1/3

SOV/20-122-3-10/57

On the Problem of the Investigation of the Fine Crystal Structure on the Basis of the Intensities of the Diffraction Lines. Pure Metals

by a non-ideal polycrystalline preparation. The integral intensity of the radiation diffracted by an "opaque" sample may be expressed by a double series:

$$P = \sum_{n=1}^{\infty} \sum_{m=1}^M P_{mn}. P_{mn} \text{ denotes the contribution of the } m^{\text{th}}$$

crystal plate which lies in the n^{th} layer to the integral intensity of the diffracted radiation. The carrying out of the summation is discussed. The deduced formula is more general than the formula of Vil'khinskiy. This formula is then specialized for the case of continuous materials. The author thanks L. I. Lysak for his discussions and for his interest in this paper. There are 3 figures and 2 references, 1 of which is Soviet.

ASSOCIATION: Institut metallofiziki Akademii nauk USSR
(Institute of Metal Physics, Academy of Sciences UkrSSR)

PRESENTED: April 29, 1958, by N. V. Belov, Academician

Card 2/3

18(4,7): 25(1) PHASE I BOOK EXPLOITATION 30V/2306

Alma-Ata: Nauka Ukrainy SSR, Institut metallofiziki

Voprosy fiziki metalliv i metallovedeniya (Problems in the Physics of Metals and Metallurgy) Kiev, Izd-vo AN Ukrainy SSR, 1959. (Series: Itz: Sbornik nauchnykh rabot, Nr 9) Errata slip inserted. 3,000 copies printed.

Ed. of Publishing House: V.L. Shurko; Tech. Ed.: M.I. Yefimov; Editorial Board: V.N. Sychukov, Academician, Academy of Sciences of Ukraine; V.N. (Resp. Ed.): S.D. Gertsken, Doctor of Physical and Mathematical Sciences; and I.Ya. Dzhnyar, Doctor of Technical Sciences.

PURPOSE: This collection of articles is intended for scientific workers, aspirants, and engineers in the field of the physics of metals, metallurgy, and metallurgical engineering, as well as to students of advanced courses in metallurgical and physical faculties.

CONTENTS: This collection of articles deals with the following topics: effect of high-speed heating, heat treatment, deformations, and crystallization conditions on phase transformations, structures, and properties of metals and alloys; the effect of additional alloying components on volumetric and intercrystalline diffusion in alloys; and the effect of repeated quench hardening and radioactive and ultrasonic treatment on the physical properties of alloys. No personalities are mentioned. References follow several of the articles.

Lyak, L.I., and Yu.P. Sorokhin. Effect of Plastic Deformation on Internal Stresses in Metal. Changes in the substructure of metals due to shifting from static to vibrational loading were studied. Experiments in which cylindrical specimens of the aluminum alloy, A6061, were flattened, statically and with vibrations, between plates at room temperature are described. 22

Lyak, L.I., and L.V. Khokhlov. Changes in the Crystalline Structure of Columbium Subjected to Various Types of Deformation. This article deals with a study of changes which take place in certain characteristics of columbium when it is subjected to different types of deformation. Such changes include distortions of crystal lattices of the second and third types, distortion of the sizes of coherent zones and changes in texture and strength accompanying varying methods and degrees of hardening. 27

Lashkov, I.N. Problem of Phase Transformations in Plastically Deformed Metals and Alloys. The author discusses processes taking place in phases which were in a state of equilibrium or quasi-equilibrium before plastic deformation. Also discussed are processes occurring during the deformation of a metastable phase. 36

T. K H O N O V, L. V.

18(7) PHASE I BOOK EXPLOITATION SOV/3355
Akademiya nauk SSSR. Institut metallurgii. Nauchnyy sovet po
probleme zharnoprochnykh spлавov
Issledovaniya po zharnoprochnym spлавam, t. IV (Studies on Heat-Resistant Alloys, vol. 4). Moscow: Izdatel'stvo AN SSSR, 1959. 400 p.
Errata slip inserted. 2,200 copies printed.
Ed. of Publishing House: V. A. Klimov; Tech. Ed.: A. P. Gusev;
Editorial Board: I. P. Bardin, Academician; G. V. Kurdyumov,
Academician; M. V. Agayev; Corresponding Member, USSR Academy of
Sciences; I. A. Odintsov, I. M. Pavlov, and I. P. Zudin, Candidate
of Technical Sciences.
PURPOSE: This book is intended for metallurgists concerned with
the structural metallurgy of alloys.
COVERAGE: This is a collection of specialized studies of various
problems in the structural metallurgy of heat-resistant alloys.
Some are concerned with the properties of alloys, others with the
mechanisms of their behavior, and others with the methods of their
production. The book contains a number of articles on the properties
of specific materials, which are of interest to metallurgists.
The articles are arranged in a logical order, and a table of contents
is included. The articles are accompanied by a number of
figures and tables. The book is written in Russian and contains
a number of references, both Soviet and non-Soviet.

TABLE OF CONTENTS:

SOV/3355	
Studies (Cont.)	
Zakharova, E. S., and V. I. Spitsina. Mechanisms of High Temperature Deformation of Nickel-Aluminum and Nickel-Copper Solid Solutions	36
Lerman, R. M., M. P. Komarova, V. I. Dobatkin, and V. A. Koropenko. A Study of Structural Transformations in Heat-Resistant Copper-Aluminum Alloys	41
Makagon, M. B., V. Ye. Babin, and V. P. Sukhovarov. Controlling the Stimulating Effect of Stress on Weakening in Deformation	50
Lorenzetti, V. M. Relationship Between Deformation in the Grains and Displacement along the Boundaries During Creep in Nickel	58
Popov, I. Ye. On the Equivalence of the Effect of Rate and Temperature of Strain on the Process of Plastic Flow	64
Dokhtyar, I. Ya., V. S. Mikhailov, and E. G. Madatova.	

SOV/3355	
Studies (Cont.)	
Effect of Flaws in the Crystal Structure on Certain Properties of Metals and Alloys	71
Borisov, M. D., V. V. Remonkalenko, and A. M. Pifer. Structure of the Energy Spectrum of Chromium and Iron Electrons in Iron-Chromium Alloys	78
Klotsman, S. M., and A. M. Orlov. On the Mechanism of Diffusion Along Grain Boundaries	90
Ment, A. M., and A. M. Orlov. Spectrum of Oscillations in the Simplest Form of an Ordered Alloy	96
Plitkin, Yu. M. Conditions of Equilibrium of a One-dimensional Model of Binary Alloy	102
Lyank, L. Ya., and L. V. Tikhonov. Change in the Fine Crystal Structure of Niobium During Plastic Strain Hardening	110
Gurov, K. P. On the Relationship Between the Energy of	
Card 4/12	

TIKHONOV, L.V.

Study of fine crystal structure by means of the intensities of the
diffraction lines. Kristallografiia 5 no.2;194-199 Mr-Apr '60.
(MIRA 13:9)

1. Institut metallofiziki AN USSR.
(Crystallography)

18.9200

S/126/60/009/01/022/031
EC91/BI91

AUTHORS: Lysak, L.I., and Tikhonov, L.V.

TITLE: Imperfections in the Crystalline Structure of Niobium
resulting from High Degrees of Deformation.

PERIODICAL: Fizika metallov i metallovedeniye, 1960, Vol 9, Nr 1,
pp 119-123 (USSR)

ABSTRACT: In this work the change in the distortions of the crystalline lattice and in block sizes of niobium after extensive plastic deformation ($> 70\%$) was studied in great detail, taking into consideration the anisotropic properties of the material. The material was hardened at room temperature by static uniaxial compression of cylindrical specimens to various extents. The test specimens were prepared as follows. Bars of niobium (99.997% Nb), 16 x 16 mm, were rolled into rods of 10 mm diameter. These rods were made into cylindrical specimens of 7 mm diameter and 12 mm length. The latter were annealed in vacuum (approximately 10^{-5} mm Hg) at 1200 °C for 1 hour. After deformation their hardness was tested in two directions perpendicular to each other, namely, in the direction in which the forming force (A) was acting,

Card
1/6

68467

S/126/60/009/01/022/031
E091/E191

Imperfections in the Crystalline Structure of Niobium Resulting
from High Degrees of Deformation

and in a direction at right-angles to this (B). In order to achieve this the deformed specimens were sawn into two halves (Fig 1). From the core of one half of each deformed specimen a cylindrical specimen of 0.9 mm diameter was cut out in such a way that its axis coincided with the radius of the specimen. After etching, the specimens were photographed in an X-ray camera, the drum diameter of which was 143 mm. Each specimen was rotated during exposure. The secondary distortions of the crystalline lattice and the dimensions of the regions of coherent scattering (blocks) were determined from the diffuseness of the interference lines (110) and (330) obtained in K_{α} -radiation of a copper anode of the tube (Refs 2 and 3). The static lattice distortions ($\sqrt{u^2}$) were deduced from the intensity of the (110) and (220) lines obtained under the same conditions. The other halves of the specimens were studied in a URS-501 X-ray apparatus with automatic recording of the intensity distribution curves of the interference lines. During

Card
2/6

65487

S/126/60/009/01/022/031

E091/E191

Imperfections in the Crystalline Structure of Niobium resulting from High Degrees of Deformation

exposure a counter was used to record the equatorial parts of the interference lines. In such an exposure those planes reflected which were parallel (with a small angle of scatter) to the X-ray irradiated plane of the specimen surface. The physical broadening of the lines is due to lattice distortions and block dimensions in a direction perpendicular to the specimen surface. Two surfaces were investigated, namely, the end face, the normal to which is parallel to the direction of the deforming force, and the lateral surface, the normal to which is perpendicular to the direction of the deforming force (see Fig 1). The lines (110), (220) and (310) were obtained from the lateral surface in a K_{α} -radiation of an iron anode. In the exposure of the end-face surface the lines (110), (200), (220) and (310) were recorded, using a K_{α} -radiation of an iron anode, and the lines (222) and (321) were recorded, using a K_{α} -radiation of copper. Calculation of the crystalline lattice distortions and block dimensions was carried out

Card
3/6

68107

S/126/60/009/01/022/031
E091/E191

Imperfections in the Crystalline Structure of Niobium resulting from High Degrees of Deformation

according to a method described by Lysak (Refs 2 and 3). The measured widths of the lines (110), (220) and (310) are shown in Fig 2. The width of the line (110) on the exposure of the lateral surface of a specimen deformed by 83% could not be measured because at a small angle of slip ($24^{\circ} 30'$) the surface area of the section is too small to cover the primary beam of X-rays. The width of the line (220) in the exposure of the end face surface of a specimen deformed by 72% remained unaltered as the intensity of this line was small. The results of the experiments are shown in Fig 3. The values with index T denote that they have been obtained from the end face, and those with index S that they have been taken from the lateral surfaces of the specimen. Fig 4 gives a schematic illustration of the mechanism of plastic deformation of a specimen in compression. Fig 5 shows the change in intensity of the interference lines of niobium in relation to degree of deformation. The authors conclude that the difference in hardness tested

Card
4/6

S/126/60/009/01/022/031
E091/E191

Imperfections in the Crystalline Structure of Niobium resulting
from High Degrees of Deformation

in the direction of the axis of compression and in the direction perpendicular to this axis is associated with a difference between the crystal lattice distortion and the block dimensions, and not with a change in texture. Hence the anisotropy in hardness may be due not to different physical properties in various crystallographic directions, but to a dependence of the properties of the fine crystalline structure on the direction relative to the axis of compression in plastic deformation. Further, hardening observed after strong deformation is accompanied not only by formation of a considerable number of imperfections in the crystal structure, but also by changes in the degree of perfection of the texture. These changes govern the mechanism and kinetics of plastic deformation which exerts a considerable influence on the formation and nature of imperfections of the crystal structure.

There are 5 figures and 4 Soviet references.

Card
5/6

68L67

S/126/60/009/01/022/031

E091/E191

Imperfections in the Crystalline Structure of Niobium resulting
from High Degrees of Deformation

ASSOCIATION: Institut metallofiziki AN USSR
(Institute of Metal Physics, Acad. Sci. Ukr. SSR)

SUBMITTED: June 29, 1959

Card 6/6

L 24445-66 EWT(m)/ENP(w)/I/ENP(t) IJP(c) JD/HW/JG/GS

ACC NR: AT6010580

(N)

SOURCE CODE: UR/0000/65/000/000/0143/0152

AUTHOR: Tikhonov, L. V.; Khar'kova, G. V.

ORG: Institute of Physics of Metals, AN UkrSSR (Institut metallofiziki AN UkrSSR)

TITLE: The part played by flaws in the initial crystalline structure in thermal fatigue of cast alloys

SOURCE: AN UkrSSR. Mekhanizm plasticheskoy deformatsii metallov (Mechanism of the plastic deformation of metals). Kiev, Naukova dumka, 1965, 143-152

TOPIC TAGS: crystal structure, thermal fatigue, cast alloy, chromium alloy, nickel alloy, cyclic test, metal heat treatment, crystal structure defect

ABSTRACT: Experimental data are given from a study of crack formation as a function of defects in the crystal structure generated during thermocyclic treatment. The specimens were coarse-grained cast chromium-nickel alloy bars 50 mm long. The specimens were subjected to thermocyclic treatment under the following conditions: upper temperature of the cycle -- 960°C (heating in air), lower temperature of the cycle -- 20°C (cooling in water), time of the cycle -- 7 minutes. The x-ray

Card 1/2

L 24445-66

ACC NR: AT6010580

analysis procedure is briefly described. Photomicrographs of the specimens in the initial state and after 30 cycles of thermocyclic treatment are compared. The experimental results show that the nature of the formation and development of cracks during thermocyclic treatment of cast alloys is considerably dependent on the flaws in the crystalline structure of the alloy in the initial state. Orig. art. has: 5 figures.

SUB CODE: 11,20/ SUBM DATE: 05Oct64/ ORIG REF: 003/ OTH REF: 003

Card 2/2 *dbb*

L 24446-66 EWT(m)/EWP(w)/ENA(d)/I/EWP(t) IJP(c) JD/HW/GS

ACC NR: AT6010581

(N)

SOURCE CODE: UR/0000/65/000/000/0153/0160

AUTHOR: Glazov, A. P.; Tikhonov, L. V.

ORG: Institute of Physics of Metals, AN UkrSSR (Institut metallofiziki AN UkrSSR)

TITLE: Crystallostructural¹⁸ changes due to periodic thermal loading in the surface layer of guide vanes made from ZhS-6K alloy

SOURCE: AN UkrSSR. Mekhanizm plasticheskoy deformatsii metallov (Mechanism of the plastic deformation of metals). Kiev, Naukova dumka, 1965, 153-160

TOPIC TAGS: cyclic test, thermal fatigue, guide vane, crystal structure, plastic deformation

ABSTRACT: The paper is a continuation of a previous work (Glazov, A. P., Tikhonov, L. V., Khazanov, M. S., "Problems in the Physics and Science of Metals, 18", *Izd-vo AN UkrSSR*, Kiev, 1964) based on improved methods. More accurate experimental data are given and a number of generalizations are made. Guide vanes made from ZhS-6K alloy were subjected to thermocyclic treatment on a special installation with the following parameters: maximum temperature--800°C, minimum temperature--400°C, time

Card 1/3

L 24446-66

ACC NR: AT6010581

of a cycle--120 seconds. The modifications made in the x-ray method used in the previous work are described. Three blades were studied subjected to 300, 560 and 600 cycles. It is found that a periodically changing temperature field causes irreversible processes resulting in considerable structural and phase transformations which gradually accumulate and reduce the resistance of the material to alternating thermal stresses, resulting in final destruction. The greatest structural and phase transformations in ZhS-6K alloy occur in a thin surface layer of the turbine blade (0.05-0.1 mm deep), which is due to the distribution of thermal stresses through the cross section of the blade and to the effect of the aggressive high-temperature gas stream. Thus the state of the surface layer determines the thermal fatigue strength of the blades. The thermal fatigue process may be divided into two successive stages: 1. (up to approximately 100 cycles) a reduction in the flaw density of the crystal structure in the surface layer accompanied by softening; 2. (beginning at a number of cycles which is strongly dependent on the maximum temperature) accumulation of defects in the crystal structure and formation of cracks. The processes which take place in the material during both stages are closely associated with the initial structure of the surface layer. The physical and chemical changes which take place in the surface layer are discussed. The plastic deformation which takes place during the second stage does not increase the overall macro- and microelastic

Card 2/3

L 24446-66

ACC NR: AT6010581

deformation in the surface layer as compared to its initial state. A characteristic feature of crystallostructural changes during operation of guide vanes is irregularity in the state of the surface layer in various sections of the blade. This is due to differences in temperature conditions. The greatest structural changes are observed at approximately the middle of the blade on the concave side toward the intake edge. Thermal fatigue cracks are observed in this region as a rule. This indicates that crack formation in the blades is directly associated with plastic effects in the softened surface layer due to periodic thermocyclic stresses. The strong localized irregularity in surface deformation is visible from grain to grain and within the confines of a single grain. The greatest structural changes during thermocyclic treatment occur in grains with considerable structural defects. Intergranular boundaries of complex configuration may serve as stress concentrators and thus are potential sites of crack formations. The structural irregularity of the alloy from grain to grain has a considerable effect on thermal fatigue in causing localized plastic deformation accompanied by concentration of stresses in both intercrystalline and transcrystalline fracture. Orig. art. has: 2 figures, 1 table.

SUB CODE: 11,20/ SUBM DATE: 26Oct64/ ORIG REF: 009/ OTH REF: 000

Card 3/3dda

L 27674-66 EWT(m)/T/EWP(t)/ETI IJP(c) JD/HW/GD

ACC NR: AT6013829

SOURCE CODE: UR/0000/65/000/000/0014/0020

AUTHOR: Gontareva, R. G.; Tikhonov, L. V.

55
B+1

ORG: Institute of Metal Physics, AN UkrSSR (Institut metallofiziki AN UkrSSR)

TITLE: Crystal structure changes in surface layers of nickel specimens induced by periodic thermal loads

27

SOURCE: AN UkrSSR. Issledovaniye nesovershenstv kristallicheskogo stroyeniya (Study of imperfections in crystal structure). Kiev, Naukova dumka, 1965, 14-20

TOPIC TAGS: nickel, material failure, metal crystal, thermal stress, crystal structure, metal surface

ABSTRACT: Specimens of electrolytically pure nickel were annealed for 30 min at 500C to remove the surface work hardness resulting from their preparation, some of the specimens were polished mechanically, and all were subjected to thermal treatment which consisted in heating to 900C, holding for 5 min, and cooling in water (25C). The specimens were then analyzed by x-ray diffraction and electron microscopy. The results indicate that the mechanisms of failure of thin and massive nickel specimens are substantially different: in the case of failure of thin specimens, a predominant role is played by a vacancy mechanism, whereas in massive specimens at considerable heating and cooling rates the thermal stresses produced are large enough to activate the dislocatory process of failure. The authors thank Yu. N. Petrov for the electron micrographs. Orig. art. has: 3 figures.

2

SUB CODE: 11, 07/ SUBM DATE: 28Nov64/ ORIG REF: 005/ OTH REF: 005
Card 1/1 CC

SOGRISHIN, Yu.P.; TIKHONOV, L.V.; CHERNIS, T.Sh.

Effect of the stress application method on the structure and
mechanical properties of the D16M alloy. Metalloved. 1 term.
obr. met. no. 2:48-50 F '65. (MIRA 18:12)

1. Eksperimental'nyy nauchno-issledovatel'skiy institut
kuznechno-pressovogo mashinostroyeniya.

ACCESSION NR: AT4010695

S/2601/63/000/017/0111/0119

AUTHOR: Glazov, A. P.; Ly^sak, L. I.; Tikhonov, L. V.; Khazanov, M. S.

TITLE: Investigation of changes in the fine crystalline structure of alloy ZhS-6K during thermal fatigue

SOURCE: AN UkrRSR. Insty^tut metalofizy^{ky}. Sbornik nauchny^{kh} trudov, no. 17, 1963. Voprosy ^{fiziki} metallov i metallovedeniya, 111-119

TYPIC TAGS: thermal fatigue, turbine, turbine blade, thermal stress, macro deformation, microdeformation, roentgenography, cracking, elasticity, alloy Zhs-6K, alloy crystal structure

ABSTRACT: Thermal fatigue is one of the basic factors leading to breakage of gas turbine blades. Continuous, cyclic, thermal loads when starting, stopping, or changing operating conditions sharply decrease the durability of the blades. During the process of cyclic thermal loading cracks usually appear in the surface layers of the blades and quickly lead to breakage. It is usually agreed that thermal stress is the most important factor occurring in processes without fixed thermal influences. Thermal stress surface is

Card 1/3

ACCESSION NR: AT4010695

greatest on the layers; hence structural changes are more evident there. During the loading process an accumulation of elastic macrodeformations takes place leading to the formation of cracks. In this study the blades of a gasturbine were investigated by an X-ray (roentgenographic) method; the blades were tested for thermal stability in conditions maximally approaching working conditions with respect to temperature and speed of the gas stream. X-ray examinations of the blades were made before and after the appearance of cracks. Roentgenographic investigation of the hard solution on the surface layers was conducted in a ionization unit URS-50I which automatically registered the diffused radiation. The results showed that considerable structural changes occur during cyclic, thermal loading only on the surface layers of blades with thickness 0.05 - 0.10 mm. Noticeable changes occur with a relatively low number of thermocycles (about 100). With further increase in the number of thermocycles structural changes do not occur either before or after the formation of cracks. Further, with an increase in the number of thermocycles, the zone of coherent diffusion first increases from an initial $3 \cdot 10^{-6}$ cm to a magnitude of 10^{-3} mm and then decreases to $3 \cdot 10^{-6}$ cm, after which cracks appear. In blades with cracks the dimensions of the area of coherent diffusion is 10^{-3} cm. During cyclic thermal loading of blades no noticeable accumulation of elastic macro and micro-deformations occurs in surface layers as compared with their initial state. At the same

Card 2/3

ACCESSION NR: AT4010695

time, before the formation of a crack, intensive accumulation of plastic deformations is noticeable in the zones of the formation of the crack, accompanied by an increase in the density (closeness) of dislocation. Orig. art. has: 5 figures.

ASSOCIATION: Insty*tut Metalofizy*ky* AN UkrRSR (Institute of Metallurgical Physics AN UkrRSR)

SUBMITTED: 00

DATE ACQ: 31Jan64

ENCL: 00

SUB CODE: MM, PR

NO REF SOV: 012

OTHER: 000

Card 3/3

ACCESSION NR: AT4042834

S/2601/64/000/018/0060/0068

AUTHOR: Glazov, A. P.; Tikhonov, L. V.; Khazanov, M. S.

TITLE: Radiographic study of the surface of turbine blades tested for heat resistance

SOURCE: AN UkrSSR. Institut metallofiziki. Sbornik nauchny*kh rabot, no. 18, 1964. Voprosy* fiziki metallov i metallovedeniya (Problems in the physics of metals and physical metallurgy), 60-68

TOPIC TAGS: gas turbine, gas turbine blade, turbine blade heat resistance, turbine blade surface crack, blade surface radiography, narrow beam method, surface oxide film effect, microcrystalline transition layer, mosaic structure, structural disorientation.

ABSTRACT: The size of mosaic structure fragments, the disorientation of adjacent fragments and a parameter characterizing the concentration heterogeneity of the δ -solid solution in various sectors of the surface of gas turbine blades tested for heat resistance were determined by x-ray using a narrow beam with low angular divergence. The ir-radiated area and volume were 1.57 mm^2 and $7.85 \cdot 10^{-6} \text{ cm}^3$, respectively. The average divergence was $12.5 \cdot 10^{-3}$ radians. The methodology is given in detail. The results indi-

Card

1/2

ACCESSION NR: AT4042834

cate the presence of a thin microcrystalline transition layer down the length of the blades prior to and after formation of cracks. It is concluded that the surface oxide film plays a significant part in structural changes resulting in crack formation. The study confirmed results of previous similar studies by other Soviet writers and the authors suggest that studies of dislocation defects and vacancies in the surface layers can yield valuable information on factors governing thermal fatigue of turbine blades. Orig. art. has: 4 graphs, 5 microphotos and 8 formulas. X

ASSOCIATION: Institut metallofiziki AN UkrSSR (Metallophysics Institute, AN UkrSSR)

SUBMITTED: 21Mar63

ENCL: 00

SUB CODE: PR, MM

NOREF SOV: 002

OTHER: 003

Card 2/2

GLAZOV, A.P.; LYSAK, L.I.; TIKHONOV, L.V.; KHAZANOV, M.S.

Investigating the changes of the fine crystal structure during
the thermal fatigue of the ZhS-6K alloy. Sbor. nauch. rab. Inst.
metallofiz. AN URSR no.17:111-119 '63. (MIRA 17:3)

AM4017086

BOOK EXPLOITATION

S/

Gertsriken, S. D.; Dekhtyar, I. Ya.; Krivoglaz, M. A.; Larikov, L. N.; Ly*sk, L. I.; Nesterenko, Ye. G.; Novikov, M. N. ; Sosnina, Ye. I.; Slyusar, R. P.; Tikhonov, L. V.; Trofilov, V. I.; Chuistov, K. V.

Physical bases of the strength and ductility of metals (Fizicheskiye osnovy* prochnosti i plastichnosti metallov) Moscow, Metallurgizdat, 1963. 321 p. illus., biblio. Errata slip inserted. 4250 copies printed. Editor of the publishing house: Ye. N. Berlin; Technical editor: L. V. Dobuzhinskaya; Bindery artist: Yu. M. Vashchenko

TOPIC TAGS: strength of metals, ductility, crystal lattice, dislocations, metal failure, strain hardening, solid solution, microstress, lattice defect, plastic strain, relaxation, polygonization, recrystallization, grain growth

PURPOSE AND COVERAGE: This collection of articles is intended for scientific personnel and for engineers and metals physicists; it also may be useful to students at metallurgical and machine-building vuzes. The results of study of crystal-lattice imperfections and dislocation theory of metal failure are

Card 1/3

AM4017086

presented. Contemporary concepts of the nature and mechanism of different weakening processes in metals are expounded, as well as present-day thinking concerning the effect of impurities on the kinetics of the weakening processes. The articles in this collection are principally the original results of research performed in recent years at the Institut Metallofiziki AN USSR.

TABLE OF CONTENTS:

Foreword - - 4

Sec. I. Crystal-lattice imperfections

1. Crystal-lattice defects (L. V. Tikhonov) - - 5

2. Imperfections in crystal structure and strain hardening in the case of the dissociation of solid solutions (Ye. N. Nesterenko, K. V. Chuistov) - - 48

3. Behavior of defects in the crystal structure in metals during heat treatment and their effect on physical properties (I. Ya. Dekhtyar) - - 71

Sec. II. Methods of investigating crystal-lattice imperfections

1. Bases of the theory of the radiographic method of investigating crystal defects (M. A. Krivoglas) - - 100

Card 2/3

AM4017086

2. Determining the disorientation and dimensions of blocks (greater than 10^{-4} cm)
(Ye. I. Sosnina) -- 129
3. Determination of elastic distortions (or microstresses) and dimensions of
disperse blocks (L. I. Ly*ak) -- 153
4. Other methods of studying lattice defects (S. I. Cortsrikon, N. N. Novikov,
B. F. Slyusar) -- 171
- Sec. III. Plastic strain and the failure of metals
1. Plastic strain and the failure of metals (V. I. Trefilov) -- 190
- Sec. IV. Weakening of metals
1. Relaxation, polygonization, recrystallization, and grain growth (L. N. Larikov)
-- 255

SUB CODE: ML, AP

SUBMITTED: 23Aug63

NR REF SOV: 253

OTHER: 463

DATE ACQ: 17Jan64

Card 3/3

GERTSRIKEN, S.D. [deceased]; DEKHTYAR, I.Ya.; KRIVOGLAZ, M.A.;
LARIKOV, L.N.; LYSAK, L.I.; NESTERENKO, Ye.G.; NOVIKOV,
N.N.; SOSNINA, Ye.I.; SLYUSAR, B.F.; TIKHONOV, L.V.;
TREFILOV, V.I.; CHUISTOV, K.V.; BERLIN, Ye.N., red. izd-va;
DOBUZHINSKAYA, L.V., tekhn. red.

[Physical principles of the strength and plasticity of metals]
Fizicheskie osnovy prochnosti i plastichnosti metallov. [By]
S.D. Gertsriken i dr. Moskva, Metallurgizdat, 1963. 321 p.
(MIRA 16:12)

(Physical metallurgy)

DANILENKO, V.M.; TIKHONOV, L.V.

Crystal lattice defects and the scattering of X rays. Sbor. nauch.
rab. Inst. metallofiz. AN URSR no.15:3-79 '62. (MIRA 15:12)
(Crystal lattices--Defects) (X rays--Scattering)

RYABOSHAPKA, K.P.; TIKHONOV, L.V.

Deformation effects connected with the presence of characteristic dislocations in elastic anisotropy metals with a cubic symmetry lattice. Fiz. met. i metalloved. 12 no.1:3-10 J1 '61. (MIRA 14:8)

1. Institut metallofiziki AN USSR.
(Dislocations in metals) (Crystal lattices)

RYABOSHAPKA, K.P.; TIKHONOV, L.V.

Deformation effect in cold-deformed metals connected with characteristic dislocations and widening of x-ray fringes. Part 1: Elastic isotropy. Fiz. met. i metalloved. 11 no. 4:489-495 Ap '61. (MIRA 14:5)

1. Institut metallofiziki AN USSR.
(Deformations (Mechanics)) (X rays—Diffraction)

18.8200

24,7500 (1144, 1160, 1482)

25910

S/126/61/012/001/001/020
E193/E483

AUTHORS: Ryaboshapka, K.P. and Tikhonov, L.V.

TITLE: Deformation effects associated with the presence of specific dislocations in elastically anisotropic metal with the cubic crystal lattice

PERIODICAL: Fizika metallov i metallovedeniye, 1961, Vol.12, No.1, pp.3-10

TEXT: Using the general method due to J.D.Eshelby, W.T.Read, and W.Shockley (Ref.2: Acta met., 1953, 1, 251), the present authors obtained expressions for the displacement of atoms in the vicinity of edge and screw dislocations in crystals with face-centred and body-centred cubic lattice. In the frame of a model used in the authors' earlier work (Ref.1: FMM, 1961, 11, 489), formulae for the mean quadratic displacements $\langle \epsilon_{hk}^2 \rangle^{1/2}$ were derived. Qualitative assessment of $\langle \epsilon_{hk}^2 \rangle^{1/2}$ for copper and brass showed that the higher the elastic anisotropy of the metal the more pronounced is the effect of the orientation factor G on the magnitude of $\langle \epsilon_{hk}^2 \rangle^{1/2}$ which is in satisfactory agreement with experimental data obtained by X-ray analysis (Ref.5: Warren B.E., Warekois E.P., Card 1/2)

Deformation effects ...

25910

S/126/61/012/001/001/020
E193/E483

Acta met., 1955, 3, 473). The formulae derived by the present authors can be used for assessing the deformation effects only in the case of randomly distributed dislocations, as for instance in the case of heavily deformed materials. There are 9 references: 3 Soviet and 6 non-Soviet. The four most recent references to English language publications read as follows: Eshelby J.D., Read W.T., Schockley W. Acta met., 1953, 1, 251; Warren B.E., Warekois E.P. Acta met., 1955, 3, 473; Williamson G., Smallman R. Phil. Mag., 1956, 1, 34; Wilson A.J.C. Research., Lond., 1950, 3, 387.

ASSOCIATION: Institut metallofiziki AN UkrSSR
(Institute of Physics of Metals AS UkrSSR)

SUBMITTED: November 5, 1960

Card 2/2

RUSSIAN DR. APPROVAL

AUTHOR: Sogrisbin, Yu. P.; Tikhonov, L. V.; Chernia, E. M.

TITLE: Effect of loading technique on impact and mechanical properties of the D16M alloy

SOURCE: Metallovedeniye i termicheskaya obrabotka metallov, No. 2, 1981, 14-17

TOPIC TAGS: alloy structure, alloy mechanical property, impact loading, vibration loading, vibratory compression, plastic deformation, alloy hardness, D16M alloy

ABSTRACT: The authors studied the changes in the characteristics of the fine crystal structure of D16M alloy subjected to various degrees of plastic deformation under conditions of vibration, static, and impact loading. Cylindrical specimens 10 mm in diam. and 15 mm long were annealed at 400°C, and deformed by uniaxial compression along the cylinder axis. The degree of barrel-shaped distortion was approximately the same in all types of loading. Hardness was measured after deformation. The specimens were analyzed by metallographic methods. It was found that the degree of plastic deformation of the alloy under impact loading was higher than under static and vibratory loading.

Card 1/2

L 33220-65

ACCESSION NR: AP5005106

Loading. The hardness and distortion of the crystal lattice were less with vibration loading than with static loading and more than with impact loading. The sizes of the crystal blocks being largest with impact loading and smallest with static loading. The investigated all what is more, it is not possible to compare static loading than with static loading. (Info. art. has 1 figure and 1 figure).

ASSOCIATION: ENIKMASH

SUBMITTED: 00

REF: 00

FOR: 001 1-1 44

NO REF SOV: 002

OTHER: 001

Card 2/2

TRUKHMANOV, B.G.; TIKHONOV, L.Ya.

Active anaphylaxis to anatoxins under conditions of changed
sensibility of the organism. Trudy TomNIIVS 11:141-146 '60.
(MIRA 16:2)

1. Tomskiy nauchno-issledovatel'skiy institut vaktsin i syvorotok.
(ANAPHYLAXIS) (TOXINS AND ANTITOXINS)

TIKHONOV, M., (gered Geredok, Buryat-Mongol'skaya ASSR)

It is time to prepare for the shortwave radio competitions.
Radio no.8:40 Ag '56. (MLRA 9:10)
(Radio operators--Competitions)

TIKHONOV, M., inzhener.

Maintaining drying and cleaning towers. Muk.-elev. prom. 23 no.4:
24 Ap '57. (MLRA 10:5)

1. Krasnoyarskaya krayevaya kontora Rosglavzerno.
(Grain--Drying)

SHCHUMOV, G.; TIKHONOV, M.

Supply grain-cleaning machines with a set of spare screens. Muk.-elev.
prom. 22 no.3:28 Mr '56. (MLRA 9:7)

1. Krasnoyarskaya kontora Zagotserno.
(Grain--Cleaning)

LISOVSKIY, N.; TIKHONOV, M.

System of operation for newly harvested grain in Siberia. Muk.-elev.
prem. 22 no.7:8-9 J1 '56. (MIRA 9:9)

1.Krasnoyarskaya kentera Zagetzerne.
(Siberia--Grain)

TIKHONOV, M.

Polishing of tubing for beds is streamlined. Prom.koop.
14 no.6:19 Je '60. (MIRA 13:7)

1. Tekhnoruk arteli "Metallist", g.Bor. Gor'kovskoy oblasti.
(Metals--Finishing) (Beds and bedsteads)

PA 11T4

TIKHONOV, M.

Feb 1947

USSR/Air Force
Airplanes, High altitude

"Bombing from High Altitudes," M. Tikhonov, V.
Kirillov, 6 pp

"Vestnik Vozdushnogo Flota" Vol XXIX, No 2

Largely mathematical discussion of relations between
size of target, speed, altitude, etc. Illustrated
with formulae and tables of operating data.

11T4

TIKHONOV, M.

Alfalfa

New species of alfalfa "Stepnsia 600." Kolkh. proizv., 12, No. 7, 1952.

Monthly List of Russian Accessions, Library of Congress October 1952 UNCLASSIFIED.

TIKHONOV, M.

BRYUKHANOV, N.; TIKHONOV, M.

Work out cost and output standards for grain dryers. Muk.-elev.
prom.21 no.9:30 S'55. (MIRA 8:12)

1. Krasnoyarskaya kontora Zagotzerno
(Grain--Drying)

TIKHONOV, M.

TIKHONOV, M.

Waste heat used for hothouses. Nauka i zhizn' 22 no.2:33 F '55.
(Greenhouses--Heating and ventilation) (MLRA 8:3)

TIKHONOV, M.

Popular-science motion pictures in 1959. NTO no.2:46-47 Y '59.
(MIRA 12:2)

1. Direktor kinostudii "Mosnauchfil'm."
(Motion pictures in science)

TIKHONOV, M.

ME-251. Nauka i zhizn' 20 no.6:14 Je '53.
(Columns, Iron and steel)

(MLRA 6:6)
(Concrete, Reinforced)

TIKHONOV, M.

Mechanical cultivation of cabbage. Nauka i zhizn' 21 no.1:36 Ja '54.
(MLRA 7:1)

(Cabbage) (Agricultural machinery)

1. 00369-67 WPT(1) 0000 00/00

ACC NR: K10036673

SOURCE CODE: UR/0000/66/000/000/0365/0366

AUTHOR: Tikhonov, M. A.

ORG: none

TITLE: Effect of excess intral pressure oxygen breathing on the elastic properties of the lungs [Paper presented at the Conference on Problems of Space Medicine held in Moscow from 24-27 May 1966]

SOURCE: Konferentsiya po problemam kosmicheskoy meditsiny, 1966. Problemy kosmicheskoy meditsiny. (Problems of space medicine); materialy konferentsii, Moscow, 1966, 365-366

TOPIC TAGS: oxygen excess pressure, hyperoxia, pulmonary elasticity, tissue physiology

ABSTRACT:

The effect of increased intrapulmonary pressure on the elastic properties of the lungs were studied in 38 dogs under morphine-urethane anesthesia. Tensile strength of lung tissue expressed in mm H₂O was taken as an index of elasticity.

The elastic properties of the lung were studied at intrapulmonary

Cord 1/3

L 08859-67

ACC NR: AT6036673
pressures up to 300 mm H₂O without counterpressure and up to 600 mm H₂O using compensating coveralls.

Immediately after pressure breathing without counterpressure, elasticity was 60% higher in all animals, returning to initial levels within 2.5 hrs.

This increase in elasticity and dynamics of restoration to the initial level were approximately identical for animals regardless of length of exposure (5, 30, or 60 min).

In the experiments with external counterpressure, it was found that elasticity of the lungs decreased by 15%. With excess pressure two times greater than that used without counterpressure, elasticity increased only 17% and returned to the initial level within 30 min.

Excess pressure breathing opens up physiological atelectases and stretches already functioning alveoli, which increases the number of ventilated alveoli and the volume of the lungs.

Following excess pressure, a period of slightly increased lung capacity

Card 2/3

L 00009-07

ACC NR: AR0030073

and more numerous and capacious functioning alveoli persists for some time.

The greater number of open alveoli increases the elasticity of the lungs.

Alveolar geometry also affects elasticity: surface tension of the fluid covering the alveolus decreases as alveolus radius increases, resulting in increased elasticity of the lungs.

Surface tension increasing with decreasing volume of the inflated alveolus collapses the alveolus when a certain point is reached. Thus physiological atelectases are restored and pulmonary elasticity returns to the initial level. Thus, increased pulmonary elasticity following excess pressure breathing is basically a hysteresis phenomenon due to changes in the volume of the lungs, the number of functioning alveoli, and alveolar surface tension. It is probably also to some extent the result of an inverse decrease in the elasticity of pulmonary tissue structures. [W.A. No. 22; ATD Report 66-116]

SUB CODE: 06 / SUBM DATE: 00May66

Card 3/3 egk

TIKHONOV, M.A., inzh.

Technological information specialist in a metal-cutting tool
shop. Opyt. rab. po tekhn. inform. i prop. no.3:19-20 '63.
(MIRA 16:12)

1. Byuro ratsionalizatsii, izobretatel'stva i tekhnicheskoy
informatsii Saratovskogo zavoda.

TIKHONOV, M. D.

TIKHONOV, M. D., G. I. IGNATSIUS, and I. P. SMOL'IANINOV.

Bombometanie; uchebnik dlia shkol i uchilishch voennykh voz-
dushnykh sil RKKA. Moskva, Gos. voen. izd-vo, 1939. 263 p., diagrs.

Title tr.: Bombing; textbook for military aviation schools of the
Red Army.

UG630.T5

SO: Aeronautical Sciences and Aviation in the Soviet Union, Library of
Congress, 1955.

Tikhonov, M. D.

TIKHONOV, M. D., G. I. IGNATSIUS and I. E. SMOL'IANINOV.

Bombometanie; uchebnik dlia shkol i uchilishch voennykh vozdushnykh sil RKKA. Moskva, Gos. voen. izd-vo, 1939. 263 p., diagrs.

Title tr.: Bombing; textbook for military aviation schools of the Red Army.

UG630.T5

SO: Aeronautical Sciences and Aviation in the Soviet Union, Library of Congress, 1955.

TIKHONOV, M. D.

Bombardment; textbook for air force schools. Moskva, Gos. voen. izd-vo, 1939.
263 p. (50-47601)

UG630.T5

LEONT'YEVSKIY, K.Ye., kand. tekhn. nauk; TIKHONOV, M.I., inzh.;
CHUDNOVSKAYA, M.A.

Effect of surface-active substances on oil yield in pressing.
Masl.-zhir. prom. 28 no.10:17-20 0 '62. (MIRA 16:12)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut zhirov.

BEZUGLOV, I.Ye.; BOCHARNIKOV, V.M., inzh.; Prinimali uchastiye: TIKHONOV, M.I.;
LODZYATO, V.V.; RENESLATSIS, L.P. [Reneslatis, L.]

Some characteristics of the oil extraction system equipped with a
"Lurgi 100" continuous line. Masl.-zhir.prom. 30 no.2:31-32 F
'64. (MIRA 17:3)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut zhirov (for
Bezuglov, Bocharnikov, Tikhonov, Lodzyato). 2. Liyepayskiy
masloekstraktsionnyy zavod (for Reneslatis).

DOTSENKO, G.I. [Dotsenko, H.I.]; VOYT, S.K., kand.sel'skokhoz.nauk;
OZEROV, V.I., kand.sel'skokhoz.nauk; TIKHONOV, M.I., kand.
sel'skokhoz.nauk; VAKAL, L.S., nauchnyy sotrudnik; VISHNEVSKAYA,
T.G. [Vyshnevs'ka, T.H.], nauchnyy sotrudnik; KRATYUK, V.I.,
nauchnyy sotrudnik; YAKOVENKO, M.S., nauchnyy sotrudnik;
LEVIN, D.A., agronom; GALAT, B.F. [Galat, B.F.], zootekhnik;
PETROVSKIY, O.M. [Petrovs'kyi, O.M.], red.; LIMANOVA, M.I.,
tekhn.red.

[Management system on a collective farm; the Dzerzhinskii
Artel, Sumy Province] Sistema vedeniia hospodarstva u kolhospi;
artil' imeni Dzerzhyns'koho Sums'koi oblasti. Kharkiv, Kharkivs'ke
knyzhkove vyd-vo, 1960. 77 p. (MIRA 14:4)

1. Nachal'nik kolkhoza imeni Dzerzhinskogo, Sumskogo rayona,
Sumskoy oblasti (for Dotsenko).
(Sumy Province--Farm management)

LEONT'YEVSKIY, K.Ye., kand.tekhn.nauk; TIKHONOV, M.I.; ZENIN, N.A.

Operating experience with two-stage screw presses. Masl.-zhir.
prom. 26 no.11:38-40 N '60. (MIRA 13:11)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut zhirov (for Leont'-yevskiy, Tikhonov).
2. Belorechenskiy maslozavod (for Zenin).
(Oil industries--Equipment and supplies) (Power presses)

TIKHONOV, M.K.
AKS

STRUCTURE AND PHYSICS OF THE ATMOSPHERE

3.5-11h

551.510.41:661.620.19

Tikhonov, M.K., Korroziya metallov v morskoy vozdukh. (Corrosion of metals in sea air.) Akademiya Nauk SSSR. Morskoy Gidrofizicheskii Institut, Trudy, 1:75-82, 1948. 6 figs., tables, 10 refs. Zh-Bh- Quantitative measurements of the intensity of corrosion of metals (iron and iron alloys) in sea air are described, tabulated and shown graphically and the effects shown in photographs. Methods of investigation are described in detail. Both mechanical and chemical (or electro-chemical) effects are considered, as well as area and shape of metal. An important study for meteorological instrumentation and installations at sea or at coastal stations. Subject Headings: 1. Corrosion 2. Sea air: damage.-M.R.

TIKHONOV, M.K.

Corrosion of concrete reinforcements. Trudy MGI 10:82-93 '57.
(Reinforced concrete--Corrosion) (MIRA 11:3)

3(7)	PHASE I BOOK REVIEWS	307/2131
Medvedev, S.S.	Moscow Scientific Institute	
Yurina, M.Ya.	Thermal Regime of the Sea. Chemistry of the Sea. Moscow, 1958. 185 p. (Series: New Study, Vol. 13) Extra slip inserted. 1,300 copies printed.	
Reed, M.I.	A.G. Kolesnikov, Doctor of Physical and Mathematical Sciences; M. of Publishing House: L.I. Nikol'skaya; Tech. M.I. N.Y. Repova.	
FOOTNOTES:	This collection of articles is intended for geophysicists, hydrophysicists, and oceanographers.	
CONTENTS:	These articles deal with problems in the physics and chemistry of sea water. Individual papers treat the turbulent thermal conductivity and heat exchange in the water, the pulsations in air velocity, the salinity of the Black Sea, the determination of calcium, magnesium, and copper in sea water, and the determination of sodium in atmospheric precipitates. Figures, tables, and graphs accompany the articles. There are 121 references: 92 Soviet, 18 foreign, 11 non-Stationary Liquid Exchange Between Two Reservoirs, P.N. Don-Stanley.	
Shchegolev, B.A.	P.A. Gubin, R.V. Vorob'yev, and O.A. Verzhnina. Problems of Water Circulation	78
Shchegolev, B.A.	A Study of the Composition of Suspended Substances and Dissolved Organic Compounds in the Azov and Black Seas	89
Shchegolev, B.A.	and V.Y. Kabanov. An Integrated Method for Determining Calcium and Magnesium in Sea Waters	113
Shchegolev, B.A.	and V.Y. Kabanov. The Problem of Determining Copper in Sea Water	130
Shchegolev, B.A.	and V.Y. Kabanov. Determination of Sodium in Air Precipitates by the Spectral Method	137
Shchegolev, B.A.	and V.Y. Kabanov. Determination of Sodium in Air Precipitates by the Spectral Method	143
AVAILABLE:	Library of Congress	

8-11-59 ①

Tikhonov, M. K.		9	
ca Action of flotation reagents on the charge in suspensions of mineral particles. M. K. Tikhonov. <i>Bull. Acad. Sci. U. R. S. S.</i> 1983, 28-51 (in Russian 28:1-4).—An alkyl pent-tar-oic acid soln. does not recharge an apatite suspension. The charge on quartz is reversed with both lime and oleic acid, with adsorption of the acid and emulsification of reagents by lime. Kethylxanthate changes the sign on pyrite, but not on uncharged pyrite. Colloidal particles of pyrite are charged and adsorb reagents, but when treated with lime. The adsorbable particles, however, do not account for all flotation phenomena. Gregg M. Evans			
ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION			
1980-1981			

1. TIKHONOV, M. K.

2. Corrosion of iron at the boundary: metal-liquid-gas and metal-liquid-liquid. M. K. Tikhonov. *Comm. Acad. Sci. U. R. S. S.* 19, 313-17 (1972) (in English).

3. Corrosion in a drop of an electrolyte depends on the choice of the electrolyte and the conditions of expt. A soln. of corrosive sublimate can be applied as a strong corroding agent in the study of the resistance properties of oxide-adsorption films by the drop method. Corrosion of iron in a drop of sublimate soln. under atm. conditions proceeds in the same degree both in the center and at the periphery of the drop. Corrosion of iron in a drop of sublimate soln. at the metal-liquid-liquid boundary proceeds essentially in the center of the drop which is in accord with Evans differential aeration theory. Seven references.

4. J. N. Lynn

5. ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION

1ST AND 2ND ORDERS										3RD AND 4TH ORDERS									
Tikhonov, M.S.										2									
Ca																			
Kinetics of solution of iron in hydrochloric and sulfuric acids in the presence of coal and quartz. M. K. Tikhonov. <i>Vysishy Metalloprov.</i> (U. S. S. R.) 17, No. 12, 96-101 (1937).--Expts. on soln. of Fe in 6, 8, 10 and 12 N H₂SO₄, with or without addns. of powd. quartz or coal, were made at 78.4°, and in 3 and 5 N HCl, with or without these addns., at 50°. The Fe used analyzed C 0.00, Mn 0.04, Si 0.017, P 0.016, S 0.037 and Ni 0.25. The addn. of coal or quartz to the acid at first decreased the rate of soln. of Fe, owing to the formation of a protective coating on the metal, but later on the rate increased with time. S. L. Madorsky																			
ASB-31A METALLURGICAL LITERATURE CLASSIFICATION																			
1ST AND 2ND ORDERS										3RD AND 4TH ORDERS									
1ST AND 2ND ORDERS										3RD AND 4TH ORDERS									

TIKHONOV, M. K.

PROCESSES AND PROPERTIES INDEX

Effect of the degree of dispersion of a solid on the kinetics of dissolving of iron. M. K. Tikhonov. *Techn. Metall.-prom.* 18, No. 4, 64 (1983). This problem was investigated in connection with the corrosion of structural steel in damp air in the presence of coal dust deposited on the steel. Samples of Fe were dissolved in H₂SO₄ in concns. 4, 6, 8, 10 and 12 N at 50° in presence of colloidal C of different particle sizes up to 50 μm. It was found that the larger the colloidal C particle the greater the rate of soln. of the Fe. Seven references. S. L. Madorsky

COMMON ELEMENTS

OPEN

ASME-ISA METALLURGICAL LITERATURE CLASSIFICATION

SECTION 1

SECTION 2

SECTION 3

SECTION 4

SECTION 5

SECTION 6

SECTION 7

SECTION 8

SECTION 9

SECTION 10

SECTION 11

SECTION 12

SECTION 13

SECTION 14

SECTION 15

SECTION 16

SECTION 17

SECTION 18

SECTION 19

SECTION 20

SECTION 21

SECTION 22

SECTION 23

SECTION 24

SECTION 25

SECTION 26

SECTION 27

SECTION 28

SECTION 29

SECTION 30

SECTION 31

SECTION 32

SECTION 33

SECTION 34

SECTION 35

SECTION 36

SECTION 37

SECTION 38

SECTION 39

SECTION 40

SECTION 41

SECTION 42

SECTION 43

SECTION 44

SECTION 45

SECTION 46

SECTION 47

SECTION 48

SECTION 49

SECTION 50

SECTION 51

SECTION 52

SECTION 53

SECTION 54

SECTION 55

SECTION 56

SECTION 57

SECTION 58

SECTION 59

SECTION 60

SECTION 61

SECTION 62

SECTION 63

SECTION 64

SECTION 65

SECTION 66

SECTION 67

SECTION 68

SECTION 69

SECTION 70

SECTION 71

SECTION 72

SECTION 73

SECTION 74

SECTION 75

SECTION 76

SECTION 77

SECTION 78

SECTION 79

SECTION 80

SECTION 81

SECTION 82

SECTION 83

SECTION 84

SECTION 85

SECTION 86

SECTION 87

SECTION 88

SECTION 89

SECTION 90

SECTION 91

SECTION 92

SECTION 93

SECTION 94

SECTION 95

SECTION 96

SECTION 97

SECTION 98

SECTION 99

SECTION 100